

TEMPORARY
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 05 2006

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 05 2006

The applicant **Intermountain Water Supply, Ltd** hereby make application for permission to change the **Place of Use of a portion** of water heretofore appropriated under **Permit 73429**

1. The source of water is **Underground Water-Well**
2. The amount of water to be changed **0.208 cfs (150 AF)**
3. The water to be used for **No changes**
4. The water heretofore permitted for **Municipal and Domestic**
5. The water is to be diverted at the following point **Within the SE¼ NE¼ Sec 14 T. 24N., R. 18E., MDB&M or at a point from which the E¼ Corner of said Sec 14 bears S.34° 41' 38" E., a distance of 669.14 feet For a map use 73428**
6. The existing permitted point of diversion is located within **No change**
7. Proposed place of use **Pipeline Route from Honey Lake Valley to Lemmon Valley via Dry Valley, Bedell Flat and Antelope Valley. From a map of proposed POU, use map to accompany this application**
8. Existing place of use **Sec 1 through 36 T. 21N., R. 19E. MDB&M Sec 36 T. 21 N., R. 18 E., Sec 1 through 12 inclusive, Sec 15, 16, and 17 T. 20 N., R. 19 E., MDB&M; and Sec 1 and 12 T. 20N., R. 18E., MDB&M**
9. Use will be from **October of 2006 to September 2007** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Drilled well, pump, motor and haul trucks**
12. Estimated cost of works **\$100,000**
13. Estimated time required to construct works **2 months**
14. Estimated time required to complete the application of water to beneficial use **1 year**

15. Remarks: Water will be taken by haul trucks to be used for dust control and compaction for the pipeline from Honey Lake to Lemmon Valley via pipeline from Dry Valley, Bedell Flat, Antelope Valley

By R. Michael Turnipseed P.E.
s/ R. Michael Turnipseed P.E.
204 North Minnesota Street
Carson City, Nevada 89703

Compared lt/ag lt/ag

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the place of use of a portion of the waters of an underground source as heretofore granted under Permit 73429 is issued subject to the terms and conditions imposed in said Permit 73429 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 64977, 64978, 66400, 73428, 73429, 73430, 74327, 74872T, 74873T and 74874T shall not exceed 2996.0 acre-feet annually.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on November 29, 2007 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

This temporary permit is issued subject to State Engineer's Ruling No. 5622.

(Continued on Page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.208 cubic feet per second, but not to exceed 150.56 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A-Temporary

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

N/A-Temporary

Map in support of proof of beneficial use shall be filed on or before:


N/A-Temporary

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 30th day of November, A.D. 2006



State Engineer